

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:09
L2	9	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) same (query or queries or request?)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:11
L3	9	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) same (query or queries or request?)) and ((proxy or proxi\$ or intermediary) adj3 object\$) and (client\$ or host or applet? or node?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:26
L5	0	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) same (query or queries or request? or proxy or proxi\$ or intermediary) adj3 (redirect\$ or rerout\$ or switching)) and (client\$ or host or applet? or node?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:36

## EAST Search History

L6	19	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) same (query or queries or request? or proxy or proxi\$ or intermediary) with (redirect\$ or rerout\$ or switching)) and (client\$ or host or applet? or node?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 15:00
L7	15	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls.) and (j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) with (query or queries or request? or proxy or proxi\$ or intermediary) with (redirect\$ or rerout\$ or switching)) and (client\$ or host or applet? or node?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 15:22
L8	18	(j2ee or java or beans or ejb) and ((database? or ?dbms or sql or resource?) with (query or queries or request? or proxy or proxi\$ or intermediary) with (redirect\$ or rerout\$ or switching)) and (client\$ or host or applet? or node?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?)	US-PGPUB; EPO; JPO	OR	OFF	2008/01/09 15:23
S1	424	713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:12
S2	1	713/153.ccls. and java and (database with query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:14

## EAST Search History

S3	103	java and (database with query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:07
S4	33	java and (database with query) and (proxy adj2 object\$) and driver\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:18
S5	24	java and (database with query) and (proxy adj2 object\$) and driver\$ and ((secur\$ or http or web) with result\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:26
S6	1	java and (database with (proxy adj2 object\$)) and driver\$ and ((secur\$ or http or web) with return\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:11
S7	2	java and (database with (proxy with (object\$ or stub\$))) and driver\$ and ((secur\$ or http or web) with return\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:47
S8	0	java and (database and (proxy with (object\$ or stub\$))) and "6721777".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:49
S9	1	java and (database\$ ) and "6721777".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:49
S10	36	client adj1 (generat\$ or creat\$ or built) adj2 (proxy or agent) and (java or j2ee or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:13
S68	144	java and (database same query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:08
S69	128	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:09

## EAST Search History

S70	97	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:12
S71	97	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:16
S73	52	("713"/\$.cccls. or "726"/\$.cccls. or "380"/\$.cccls. or "705"/\$.cccls. or "709"/\$.cccls.) and java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 12:51
S74	31	("713"/\$.cccls. or "726"/\$.cccls. or "380"/\$.cccls. or "705"/\$.cccls. or "709"/\$.cccls.) and java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:00
S75	64	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:37
S76	60	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$ and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:38
S77	23	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$ and (security or secure) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:09

## EAST Search History

S78	23	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:14
S79	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and ((security or secure) adj2 tier?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:15
S80	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and ((security or secure) with \$tier?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:16
S81	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) with \$tier? and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:17
S82	1	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:43
S83	1	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure or gateway? or firewall?) and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:06

## EAST Search History

S84	10	java and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:17
S85	47	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and (server or servlet?) and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:26
S86	0	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and servlet? and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:28
S87	6	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and servlet and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:34
S88	8	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 14:07